

Τη εφφιχαχψ οφ τηε ΑΦΑσ ιν τηε τρεατμεντ οφ μελασ ιιν.



Photo 1: Epidermal Melasma before treatment.



Photo 2: Excellent improvement after 6 sessions of AFAs treatment.



Photo 3: Mixed type of Melasma before treatment.



Photo 4: Excellent improvement after 5 sessions of AFAs treatment.

Τη εφφιχαχψ οφ τηε ΓΑ ιν τηε τρεατμεντ οφ μελασιια.



Photo 5: Excellent improvement after 6 sessions of GA peels.



Photo 6: Epidermal Melasma before treatment.



Photo 7: Epidermal Melasma before treatment.



Photo 8: Excellent improvement after 5 sessions of GA peels.

Τη εφφιχαχψ οφ τηε ΤΧΑ ιν τηε τρεατμεντ οφ μελασ
υα.



Photo 9: Epidermal Melasma before treatment.



Photo 10: Excellent results after 6 sessions of TCA treatment.



Photo 11: Mixed type of Melasma before treatment.



Photo 12: Good results after 6 sessions of TCA treatment.

Τη εφφιχαχψ οφ τηε ΑΦΑσ ιν τηε τρεατμεντ οφ αχνε πατιε ντσ.



Photo 13: Moderate papulopustular acne before treatment.



Photo 14: Excellent improvement 4 sessions after AFAs treatment.



Photo 15: Sever acne (depressed scars+papulopustular lesions) before treatment.



Photo 16: Good improvement 5 sessions after AFAs treatment.

Τη εφίχαχψ οφ τηε ΓΑ ιν τηε τρεατμεντ οφ αχνε πατιε



Photo 17: Sever acne (pustular lesions scars) before treatment.



Photo 18: Excellent improvement 6 sessions after GA treatment.



Photo 19: Papulopustular acne before treatment.



Photo 20: Excellent improvement 5 sessions after GA treatment.

Τη εφφιχααψ οφ τηε ΤΧΑ ιν τηε τρεατμεντ οφ αανε πατιεντσ.



Photo 21: Sever acne (depressed scars+comedones+pustular lesions) before treatment.



Photo 22: Excellent improvement 6 sessions after TCA treatment.



Photo 23: Mixed inflammatory and non inflammatory acne before treatment.



Photo 24: Good results in comedones but there is residual pustular lesions 6 sessions after TCA treatment.

Τη εφφιχαχψ οφ τη ΑΦΑσ ιν τηε τρεατμεντ οφ ωρινκ
λεσ.



Photo 25: RT side periorbital wrinkles.



Photo 26: Excellent improvement after 4 sessions of treatment.



Photo 27: RT side periorbital wrinkles.



Photo 28: Excellent improvement after 5 sessions of treatment,

Τη εφφιχααψ οφ τηε ΓΑ ιν τηε τρεατμεντ οφ ωρινκλες.



Photo 29: LT side peiorbital wrinkles.



Photo 30: Excellent improvement after 6 sessions of treatment.



Photo 31: RT side periorbital fine wrinkles.



Photo 32: Good results after 6 sessions of treatment.

Τη εφφιχαχψ οφ τηε ΤΧΑ ιν τηε τρεατμεντ οφ ωρινκ
200



Photo 33: RT side periorbital finer wrinkles.



Photo 34: Excellent improvement after 6 sessions of treatment



Photo 35: LT side periorbital fine wrinkles.



Photo 36: Excellent improvement after 6 sessions of treatment

Τησ σιδε εφφεχτσ ρεπορτεδ ιν τηισ στυδψ.



Photo 37: A case of epidermal Melasma Before treatment



Photo 38: A case of postinflammatory hyperpigmentation 6 sessions after TCA application.



Photo 39: A case of fine wrinkles before treatment.



Photo 40: A case of postinflammatory hyperpigmentation 6 sessions after TCA application.

Τη σιδε εφφεχτο ρεπορτεδ ιν τηισ στυδψ.



Photo (41): A case of erythema 2 minutes after application of 35% TCA.



Photo (42): Appearance of white frost 5 minutes after application of 70% GA.

