

REFERENCES



- Akhavan A and Bershada S (2003):** Topical acne drugs: review of clinical properties, systemic exposure, and safety. *Am J Clin Dermatol* ; 4(7):473-92.
- Akita L and Petratos M (1996):** The use of glycolic acid in Asian and Darker skin types. *J Geriatr Dermatol*; 4(SB):8 B-11B.
- Alam M, Omura N and Kaminer M (2005):** Subcision for acne scarring: technique and outcomes in 40 patients. *Dermatol Surg*; 31(3):310-7.
- Alam M, Omura N and Dover J, et al. (2002):**Glycolic acid peels compared to microdermabrasion:a right left controlled trial of efficacy and patient satisfaction. *Dermatol Surg*; 28(6):475-9.
- Alcalay J (2004):** Myths of isotretinoin therapy in patients with acne: a personal opinion. *J Drugs Dermatol. Mar*; 3(2):179-82.
- Alford E and Porter J (1999):** Chemical peel. In *Otolaryngology-Head and Neck Surgery 3rd ed Cummings CW, et al (eds) Mosby: St Louis*.
- Al-Sharqi A and Al-Waiz M (2002):** Medium-depth chemical peels in the treatment of acne scars in dark-skinned individuals. *Dermatol Surg. May*; 28(5):383-7.
- Alster T, Doshi S and Hopping S (2004):** Combination surgical lifting with ablative laser skin resurfacing of facial skin: a retrospective analysis. *Dermatol Surg*; 30(9):1191-5.
- Alt T (1989):** Occluded Baker/Gordon chemical peel: review and update. *J Dermatol Surg Oncol*; 15:980-993.

Angsuwarangsee S and Polnikorn N (2003): Combined ultrapulse CO2 laser and Q-switched alexandrite laser compared with Q-switched alexandrite laser alone for refractory melasma: split-face design. *Dermatol Surg* ;29(1):59-64.

Arnold H, Odom R and James W (1990): Chemical peels. In: *Andrews diseases of the skin, (8th ed)., Vol. I*, by Arnold H, Odom R and James W (eds). WB Saunders Company Philadelphia, London, Toronto; 250-267.

Aronsohn A (1984): Hand Chemosurgery. *Am J Cosmet Surg*; 1:24-28.

Asken S (1989): Unoccluded Baker-Gordon phenol peels--review and update. *J Dermatol Surg Oncol* ; 15(9):998-1008.

Atzori L, Brundu M and Orru A, et al (1999): Glycolic acid peeling in the treatment of acne. *J Eur Acad Dermatol Venereol.* ; 12(2):119-22.




Baker T and Gordon H (1986): Chemical face peeling .In: *Surgical Rejuvenation of the Face. St Louis C. V. Mosby* ,pp 37-100.

Baker T and Gordon H (1987): Chemical peel with phenol. In: *Skin Surgery (ed 6) by Epstein E, Epstein E JR, (eds) W.B Saunders Co., Philadelphia* , pp, 423-438.

Balkrishnan R, Mc Michael A and Hu J, et al. (2005): Corrective cosmetics are effective for women with facial pigmentary disorders. *Cutis*; 75(3):181-7.

Becker F, Langford F and Rubin M, et al. (1996): A histological comparison of 50% and 70% glycolic acid peels using solutions with various pHs. *Dermatol Surg*; 22(5):463-5.

- Beeson W and Mc Collough E (1985):** Chemical face peeling without taping. *J Dermatol Surg Oncol*; 11:985-990.
- Bernstein L, Kauvar A and Grossman M, et al (2001):** Scar resurfacing with high-energy, short-pulsed and flashscanning carbon dioxide lasers. *Dermatol Surg*. ;24(1):101-7.
- Berson D and Shalita A (1995):** The treatment of acne: the role of combination therapies. *J Am Acad Dermatol*; 32:531-541.
- Bhardwaj S, Rohrer T and Arndt K (2005):** Lasers and light therapy for acne vulgaris. *emin Cutan Med Surg* ;24(2):107-12.
- Bialecka A, Kasprowicz A and Kaszycki P, et al (2004):** Characteristics of the Propionibacterium strains isolated from acne patients. *Med Dosw Mikrobiol* ; 56(1):79-92.
- Boehncke W, Ochsendorf F and Paeslack I, et al. (2002):**Decorative cosmetics improve the quality of life in patients with disfiguring skin diseases. *Eur J Dermatol*; 12(6):577-80.
- Boni R, Kreyden O and Burg G (2000):** Revival of the use of botulinum toxin application in dermatology. *Dematology* 200:287-91.
- Bordat P and Chesony S (2005):** Mixing glycolic acid with retinaldehyde:RALGA,a technical achievement. *Dermatology*; 210 Suppl 1:2-5.
- Bosset S, Barre P and Chalon A, et al. (2002):** Skin ageing: clinical and histopathologic study of permanent and reducible wrinkles. *Eur J Dermatol* ; 12(3):247-52.
- Briden M (2004):** Alpha-hydroxyacid chemical peeling agents: case studies and rationale for safe and effective use. *Cutis*. ; 73(2 Suppl):18-24.
- Briden M, Kakita L and Petratos M, et al. (1996):**Treatment of acne with glycolic acid. *J Geriatr Dermatol*; 4(SB):22 B-27 B.

- Bridenstine J and Dolezal J (1994):** Standardizing chemical peel solution formulations to avoid mishaps. Great fluctuations in actual concentrations of trichloroacetic acid. *J Dermatol Surg Oncol* ; 20(12):813-6.
- Brody H (1989):** Complications of chemical peeling: a variation superficial chemosurgery. *J. Dermatol. Surg. Oncol.* 15: 1019.
- Brody H (1992):** Update on chemical peels. *Adv Dermatol*; 7:275-88; discussion 289.
- Brody H (1995):** Trichloroacetic acid application in chemical peeling, Operative Techniques. *Plast Reconstr Surg* 2(2):127-128.
- Brody H (1997a):** Chemical peeling and resurfacing, ed 2 St Louis, Mosby. Year book 2nd ed. P 7-22.
- Brody H (1997b):** Wound healing .Chemical peeling. ed 2 St -Louis, Mosby. Year book 2nd ed. p 23-32.
- Brody H (2001):**Complications of chemical resurfacing. *Dermatol Clin*; 19(3):427-38, vii-viii.
- Brody H and Hailey C (1986):** Medium depth chemical peeling of the skin; a variation of superficial chemosurgery. *J. Dermatol. Surg.Oncol*; 12:1268.
- Butler P, Gonzalez S and Randolph M, et al. (2001):** Quantities and qualitative effects of chemical peeling on photoaged skin: an experimental study. *Plast Reconstr Surg*; 107(1):222-8.
- 
- Callender V (2004):** Acne in ethnic skin: special considerations for therapy. *Dermatol Ther*; 17(2):184-95.

- Carniol P, Vynatheya J and Carniol E (2005):** Evaluation of acne scar treatment with a 1450-nm mid infrared laser and 30% trichloroacetic acid peels. *Arch Facial Plast Surg*; 7(4):251-5.
- Cayce K, Mc Michael A, and Feldman S (2004):**Hyperpigmentation: an overview of the common afflictions. *Dermatol Nurs*; 16(5):401-6.
- Charakida A, Seaton E and Charakida M, et al. (2004):** Phototherapy in the treatment of acne vulgaris: what is its role? *Am J Clin Dermatol*; 5(4):211-6.
- Chia C, Lane W and Chibnall J, et al. (2005):**Isotretinoin therapy and mood changes in adolescents with moderate to severe acne: a cohort study. *Arch Dermatol* ;141(5):557-60.
- Choi E, Man M and Wang F, et al. (2005):**Is endogenous glycerol a determinant of stratum corneum hydration in humans? *J Invest Dermatol*; 125(2):288-93.
- Chun E, Lee J and Lee K (2004):** Focal trichloroacetic acid peels method for benign pigmented lesions in dark-skinned patients. *Dermatol Surg*; 30(4 Pt 1):512-6.
- Clark R (1985):** Cutaneous tissue repair, basic biologic considerations. *J Am Acad Dermatol*; 13:701.
- Coleman W and Futrell J (1994):**The glycolic acid and trichloroacetic acid peel. *J. Dermatol. Surg.Oncol*; 20:76-80.
- Collins P (1987):** The chemical peel. *Clin Dermatol*; 5:57.
- Collins P (1989):** Trichloroacetic acid peels revisited. *J Dermatol Surg Oncol*; 15:933-940.
- Cordain L (2005):** Implications for the role of diet in acne. *Semin Cutan Med Surg*; 24(2):84-91.

- Coslen J (1991):** Wound healing after cosmetic surgery. *In: Coleman WP, Hanke CW, et al. ,editors. Cosmetic Surgery of the Skin, Philadelphia , BC Decker, 47-63.*
- Cotellesa C, Peris K and Onorati M, et al. (1999):** The use of chemical peelings in the treatment of different cutaneous hyperpigmentation.*Dermatol Surg; 25:450-4.*
- Cotellesa C, Manunta T and Ghersetich I, et al (2004):**The use of pyruvic acid in the treatment of acne. *J Eur Acad Dermatol Venereol ; 18(3):275-8.*
- Cunliffe W and Gollnick H (1996):** Acne. *In: Cutaneous Medicine and Surgery. Arndt KA, LeBoit PE, Robinson JK, Wintroub BU, (eds). WB Saunders Co; Philadelphia, p; 461-480.*
- Cunliffe W and Simpson N (1998):** Disorders of sebaceous glands. *In: Text Book of Dermatology, R.H.Champion, J.L. Burton, D.A. Burns, and S.M. Breathnach(eds)..London, Edinburg, Boston. Blackwell Scientific Puplications Vol.5; 1927-1984 (6th edn).*
-
- Dailey R, Gray J and Rubin M, et al. (1998):** Histopathologic changes of the eyelid skin following trichloroacetic acid chemical peel. *Ophthal Plast Reconstr Surg; 14(1):9-12.*
- Dailey R, Saulny S and Tower R (2005):** Treatment of multiple apocrine hidrocystomas with trichloroacetic acid. *Ophthal Plast Reconstr Surg; 21(2):148-50.*
- Dainichi T, Ueda S and Isoda M, et al. (2003):** Chemical peeling with salicylic acid in polyethylene glycol vehicle suppresses skin tumor development in hairless mice.*Br J Dermatol; 148(5):906-12.*
- Dale A and Ronald C (1998):** Current concepts in pathogenises and treatment of acne. *J Oral Maxillofac.Surg; 56:651-655.*

- Dale B, Eady R and Underwood R, et al (1994):** Keratohyaline granule proteins. *Br J Dermatol.* ; 131(6):767-79.
- Decherd E and Calhoun K (2000):** Chemical peeling and cervicofacial liposurgery. *Grand Rounds Presentation, UTMB, Dept of Otolaryngology.*
- Del Marmol V, Teichmann A and Gertsen K (2004):** The role of combined oral contraceptives in the management of acne and seborrhea. *Eur J Contracept Reprod Health Care; 9(2):107-24.*
- Del Rosso J (2002):** Topical Retinoid Therapy. *Skin & Aging - ISSN: 1096-0120 - Volume 10 - Issue 07 - Pages: 50 – 62.*
- Di Geronimo E (1981):** Simple taping after chemical peels. *Plast Reconstr surg; 68:953-954.*
- Di Nardo J (1995):** A comparison of Salicylic acid with Glycolic acid and Benzoyl peroxide in the treatment of acne. *Cosmetic Dermatology; 3:144-147.*
- Dingman D, Hartog J and Siemionow M (1994):** Simultaneous deep-plane face lift and trichloroacetic acid peel. *Plast Reconstr Surg; 93(1):86-93; discussion 94-5.*
- Dinner M and Artz J (1994):** Chemical peel what is in the formula? *Plast Reconstr Surg; 94:406-407.*
- Ditre C, Griffin T and Murphy G, et al. (a) (1996):** Effects of α -hydroxy acids on photoaged skin: A pilot clinical, histologic, and ultrastructural study. *J Am Acad Dermatol; 34:187-95.*
- Ditre C, Nini K and Vagley R (b) (1996):** Practical use of glycolic acid as a chemical peeling agent. *J of Geriatric Dermatology; 4, Suppl B: p 3-27.*

Doillon C, Dun M and Bender E, et al., (1985): Collagen fiber formation in repair tissue: development of strength and toughness. *Collagen Rel Res*; 5:481.

Dolezal J (1990): Stability study of trichloroacetic acid. *J Dermatol Surg Oncol*; 16:489-490.

Dreno B (2005): The treatment of acne. *Presse Med*; 540-3.

Dreno B, Nocera T and Verriere F, et al. (2005): Topical retinaldehyde with glycolic acid: study of tolerance and acceptability in association with anti-acne treatments in 1,709 patients. *Dermatol*; 210 Suppl 1:22-9.



Ebling F and Cunliffe W (1992): Disorders of sebaceous glands. In: *Text book of Dermatology Fifth ed. Champion RH, Burton JL, Ebling FJG. London(eds), Black well scientific publications. Edinburgh, Boston; Vol.III, 1699-1744.*

Edison B, Green B and Wildnauer R, et al. (2004):A polyhydroxy acid skin regimen provides antiaging effects comparable to an alpha hydroxyl acid regimen. *Cutis*; 73(Suppl2):14-7.

Edison R (1996): Phenol peeling: new standards of excellence. *Aesthetic Plast Surg. Winter*; 20(1):81-2.

El-Domyati M, Attia S and Saleh F, et al. (2003): Effect of topical tretinoin, chemical peeling and dermabrasion on p53 expression in facial skin. *Eur J Dermatol*; 13(5):433-8

El-Domyati M, Attia S and Saleh F, et al. (2004): Trichloroacetic acid peeling versus dermabrasion: a histometric, immuno-histochemical, and ultrastructural comparison. *Dermatol Surg.*; 30(2 Pt 1):179-88.

Engaser P and Maibach H (1999): Cosmetics and skin in dermatologic practice. In: *Fitzpatrick's dermatology in general medicine 5th edition* Thomas B. Fitzpatrick (eds) McGraw-Hill Co Inc., New York; p 2772.

Erbagci Z and Akcali C (2000): Biweekly serial glycolic acid peels vs. long-term daily use of topical low-strength glycolic acid in the treatment of atrophic acne scars. *Int J Dermatol*; 39(10):789-94.



Fagien S (2000): Facial soft-tissue collagen matrix (Autologen and Dermalogen). *Plast Reconstr Surg*; 105: 362-75.

Fitzpatrick R (1996): Facial resurfacing with the pulsed carbon dioxide laser. A review. *Facial Plast Surg Clin North Am* ; 4(2): 236.

Fitzpatrick T (1988): The validity and practicality of the skin reactive skin types I through VI. *Arch Dermatol*;124:869.

Fitzpatrick T, Eisen A and Wolff K, et al. (1993): Clinical diagnosis of pigmented lesions using digital epiluminescence microscopy. Grading protocol and atlas. *Arch Dermatol.* ;129(2):157-74.


Flynn T and Coleman W (2000): Topical revitalization of body skin. *J Eur Acad Dermatol Venereol* ; 14(4):280-4.

Folkman J, (1982): Angiogenesis: initiation and control. *Ann N Y Acad Sci* 401:212.

Folkman J and Klagsbrun M (1987): Angiogenic factors, *Science* 235:442.

Fucks K, Solis O and Tapawan R, et al. (2003): The effects of an oestrogen and glycolic acid cream on the facial skin of postmenopausal woman: a randomized histologic study. *Cutis*; 71(6):481-8.

Fulton J (1994): Facial skin peels. *International Journal of Aesthetic and Restorative Surgery, Volume 2, Number 2,p125-130.*

- Fulton J and Rahimi A (1999):** Dermabrasion using CO2 dry ice. *Dermatol Surg*; 25(7):544-8.
- Fung T, Bowman H and Jee H, et al. (2000):** Effects of glycolic acid on light induced skin pigmentation in Asian and Caucasian subjects. *J Am Dermatol* ;43:238-43.
- Funk J, Dromgoole S and Maibach H (1995):** Sunscreen intolerance. *Dermatologic Clinic* 13(2):473-481.
- 
- Garcica A and Fulton J (1996):** The combination of glycolic acid and hydroquinone or kojic acid for the treatment of melasma and related conditions. *Dermatol Surg*; 22:443-448.
- Garrett S, Robinson J and Roenigk H (1992):** Trichloroacetic acid peel of molluscum contagiosum in immunocompromised patients. *J Dermatol Surg Oncol*; 18:855-858.
- Gerwels J, Bezzant J and LeMaire L, et al. (1994):** Oral transmucosal fentanyl citrate premeditation in patients undergoing outpatient dermatologic procedures. *J Dermatol Surg Oncol*; 20:823-826.
- Ghersetich I, Brazzini B and Peris K, et al. (2004):** Pyruvic acid peels for the treatment of photoaging. *Dermatol Surg*; 30(1):32-6; discussion 36.
- Giannoulis C, Papathanasiou K and Tantanasis T, et al. (2005):** Isotretinoin (Ro-Accutane) teratogenesis. *A case report. Clin Exp Obstet Gynecol*; 32(1):78.
- Glenn M, Grimes P and Chalet M, et al., (1991):** Evaluation of clinical and light microscopic effect of various concentration of hydroquinone. *Clin Res*; 39:83A.

- Glogau R (1994):** Chemical peeling and aging skin. *J Geriatr Dermatol* ;2(1):30-5.
- Glogau G and Matarasso L (1995):** Chemical peels: trichloroacetic acid and phenol. *Dermatologic Clinics*; 13(2):263.
- Golan J and Hai N(2005)** Jet Peel: a new technology for facial rejuvenation. *Ann Plast Surg.*; 54(4):369-74.
- Goldman P and Freed M (1989):** Aesthetic problems in chemical peeling. *J Dermatol Surg Oncol*; 15:1020-1024.
- Gollnick H (2003):** Current concepts of the pathogenesis of acne: implications for drug treatment. *Drugs*; 63(15):1579-96.
- Gordon M (2005):** A conservative approach to the nonsurgical rejuvenation of the face. *Dermatol Clin*; 23(2):365-71.
- Griffin T and Van Scott E (1991):** Use of pyruvic acid in the treatment of actinic keratoses: a clinical and histopathologic study. *Cutis*; 47:325-329.
- Griffin T, Van Scott E and Maddin S (1998):** The use of pyruvic acid as a chemical peeling agent. *J Dermatol Surg Oncol*; 15:1316.
- Griffiths C, Kang S and Ellis C, et al., (1995):** Two concentrations of topical tretinoin (retinoic acid) cause similar improvement of photoaging but different degrees of irritation. *Arch Dermatol*; 131:1037-1044.
- Grimes P (1995):** Melasma: etiologic and therapeutic considerations. *Arch Dermatol Surg Oncol*; 131:1453-1457.
- Guerrissi J (2000):** Intraoperative injection of botulinum toxin A into orbicularis oculi muscle for the treatment of crow's feet. *Plast Reconstr Surg*; 105:22189-28.

Guevara I and Pandya A (2003): Safety and efficacy of 4% hydroquinone combined with 10% glycolic acid, antioxidants, and sunscreen in the treatment of melasma. *Int J Dermatol*; 42(12):966-72.



Harper J (a), (2005): The use of topical retinoids for inflammatory acne: a review of the pharmacoeconomic considerations. *Manag Care Interface*; 18(3):51-5.

Harper J (b), (2005): Hormonal therapy for acne using oral contraceptive pills. *Semin Cutan Med Surg*; 24(2):103-6.

Herane M and Ando I (2003): Acne in infancy and acne genetics. *Dermatology*; 206(1):24-8.

Herd R, Dover J and yarbouough J (1999): Skin resurfacing: Laser. In: *Fitzpatrick's Dermatology in General Medicine*. Thomas B. Fitzpatrick eds. Chapter 269, New York McGraw-Hill Co Inc., p 2950 (5th edition).

Hirsch R, Dayan S and Shah A (2004): Superficial skin resurfacing. *Facial Plast Surg Clin North Am*; 12(3):311-21, v-vi.

Holck D and Ng J (2003): Facial skin rejuvenation. *Curr Opin Ophthalmol*; 14(5):246-52.

Horikoshi T, Matsumoto M and Usuki A, et asl.,(2005): Effects of glycolic acid on desquamation-regulating proteinases in human stratum corneum. *Exp Dermatol*; 14(1):34-40.

Humphreys T, Werth V and Dzubow L, et al. (1996): Treatment of photodamaged skin with trichloroacetic acid and topical tretinoin. *J Am Acad Dermatol*; 34(4):638-44.

Hurley M, Guevara I and Gonzales R, et al. (2002): Efficacy of glycolic acid peels in the treatment of melasma. *Arch Dermatol; 138(12):1578-82.*



Isoda M, Ueda S and Imayama S, et al. (2001): New formulation of chemical peeling agent: histological evaluation in sun-damaged skin model in hairless mice. *J Dermatol Sci; 27 Suppl 1:S 60-7.*



Javaheri S, Handa S and Kaur I, et al. (2001): Safety and efficacy of glycolic acid facial peel in Indian woman with melasma. *Int J Dermatol; 40(5):354-7.*

Jhonson J (1995): Simultaneous deep plane face lift and trichloroacetic acid peel (letter,comment). *Plast Reconstruct Surger; 595:602.*

Jimbow M, Marusyk H and Jimbow K (1995): The in vivo melanocytotoxicity and the depigmenting potency of N-2, 4-Acetoxyphenylthio-ethylacetamide in the skin and hair. *Br J Dermatol; 133:532-536.*



Kaidbey K, Sutherland B and Bennet P, et al. (2003): Topical glycolic acid enhances photodamage by ultraviolet light. *Photodermatol Photoimmunol Photomed;19(1):21-7.*

Kakita L (1995): Caution brings success in using AHAs on Asian skin.. *Cosm Dermatol; 8 (12):28-29.*


Kameyama K, Sakai C and Kondoh S, et al. (1996): Inhibitory effect of magnesium-L-ascorbyl-2-phosphate (VC-PMG) on melanogenesis in vitro and in vivo. *J Am Acad Dermatol; 34:29-33.*

- Kane M (2003):** Classification of crow's feet patterns among Caucasian women: the key to individualizing treatment. *Plast Reconstr Surg; 112(5 Suppl):33S-39S.*
- Kapadia N and Talib A (2004):** Acne treated successfully with azithromycin. *Int J Dermatol; 43(10):766-7.*
- Kaplan J (1984):** Acceleration of wound healing by a live yeast cell derivative. *Arch Surg 119:1005-1008.*
- Karam P (1993):** 50% Resorcinol peel. *Int J Dermatol ; 32:569-574.*
- Karimipour D, Kang S and Johnson T, et al. (2005):**Microdermabrasion: a molecular analysis following a single treatment. *J Am Acad Dermatol; 52(2):215-23.*
- Katsambas A (2005):** RALGA (Diacneal), a retinaldehyde and glycolic acid association and postinflammatory hyperpigmentation in acne--a review. *Dermatology; 210 Suppl 1:39-45.*
- Keen M and Khosh M (1995):** Botulinum toxin types A injection for hyperfunctional facial lines. *Laryngoscope; 105:1134-7.*
- Kharfi M, Tekaya N and Zeglaoui F, et al. (2001):** Comparative study of the efficacy and tolerance of 12% glycolic acid cream and 0.05% retinoic acid cream for polymorphic acne. *Tunis Med; 79(6-7):374-7.*
- Khunger N, Sarkar R and Jain RK (2004):**Tretinoin peels versus glycolic acid peels in the treatment of Melasma in dark-skinned patients. *Dermatol Surg; 30(5):756-60; discussion 760.*
- Kim S, Moon S and Kim J, et al. (1999):** Glycolic acid versus Jessner's solution: which is better for facial acne patients? A randomized prospective clinical trial of split-face model therapy. *Dermatol Surg; 25(4):270-3.*


- Klein A and Glogau R (2000):** Botulinum toxin: beyond cosmesis. *Arch Dermatol* 136: 539-41.
- Klein M (2000):** AFAs :New Cosmeceutical. *J Cosmetic Dermatol.*25:28.
- Kligman A, Grove G and Hirose R, et al. (1986):** Topical tretinoin for photoaged skin. *J Am Acad Dermatol*;15:836-859.
- Kligman D, Pagnoni A and Sadiq I, et al. (1996):** A new approach to superficial facial chemical peeling using salicylic acid. *Presented at the American Society of Dermatologic Surgery, Palm Springs Calif, May 15, 1996.*
- Knor T (2005):** The pathogenesis of acne. *Acta Dermatovenerol Croat;* 13(1):44-9.
- Koch R, Troell R and Goode R (1997):** Contemporary management of the aging brow and forehead. *Laryngoscope;* 107:710-5.
- Kurtzweil P (1998):** Alpha hydroxy acids for skin Care: smooth sailing or rough seas? *FDSA Consumer;* 32:30-5.
- Kus S, Yucelten D and Aytug A (2005):** Comparison of efficacy of azithromycin vs. doxycycline in the treatment of acne vulgaris. *Clin Exp Dermatol;* 30(3):215-20.
- Kuwahara K, Kitazawa T and Kitagaki H, et al. (2005):** Nadifloxacin, an antiacne quinolone antimicrobial, inhibits the production of proinflammatory cytokines by human peripheral blood mononuclear cells and normal human keratinocytes. *J Dermatol Sci;* 38(1):47-55.
- Kuwahra R (2001):** Chemical peels. *Am Acad of Dermatol;* section 1-9 ;27(2):183-4



- Lawrence N, Cox S and Cockerell C, et al. (1995):** A comparison of the efficacy and safety of Jessner's solution and 35% trichloroacetic acid vs 5% fluorouracil in the treatment of widespread facial actinic keratoses. *Arch Dermatol*; 131:176-181.
- Lee G, Kim H and Whang K (2002):** The effect of combination treatment of the recalcitrant pigmentary disorders with pigmented laser and chemical peeling. *Dermatol Surg*; 28(12):1120-3.
- Lee J, Chung W and Kwahck H, et al. (2002):** Focal treatment of acne scars with trichloroacetic acid: chemical reconstruction of skin scars method. *Dermatol Surg*; 28(11):1017-21; discussion 1021.
- Lee M, Kim H and Ha D, et al. (2002):** Therapeutic effect of topical application of linoleic acid and lincomycin in combination with betamethasone valerate in melasma patients. *J Korean Med Sci*; 17(4):518-23.
- Leenutaphong V, Nettakul A and Rattanasuwon P (1999):** Topical isotretinoin for melasma in Thai patients: a vehicle-controlled clinical trial. *J Med Assoc Thai*; 82(9):868-75.
- LeRoy L (1998):** Facial rejuvenation: use of a teaching model in care planning. *Dermatol Nurs*; 10(4):269-72.
- Letessier S (1996):** Chemical peel with resorcin. In: *Dermatologic Surgery; principles and practice*. Roenigk RK, Roenigk HH, (eds), , Marcell Dekker, New York, (2nd ed), pp 1115-1119.
- Lewis T, Wolfinger T and Barta M (2004):** The ecological effects of trichloroacetic acid in the environment. *Environ Int*; 30(8):1119-50.
- Leyden J (2004):** Meta-analysis of topical tazarotene in the treatment of mild to moderate acne. *Cutis*; 74(4 Suppl):9-15.

- Liden S, Goransson K and Odsell L (1980):** Clinical evaluation in acne. *Acta Derm Venereol Suppl (Stockh); Suppl89:47-52.*
- Litton C (1962):** Chemical face lifting. *Plast Reconstr surg 29:371-380.*
- Litton C (1963):** Observations after Chemosurgery of the face. *Plast Reconstr Surg; 32:554-556.*
- Lorincz A (1985):** Disturbances in melanin pigmentation. *In: Dermatolgy, (2nd ed). Moschella SL and Huriety HJ (eds), W.B. Saunders Company, Philadilphia London-Toronto, Vol 2, pp.1278.*
- Lowe N, Wieder J and Shorr N, et al. (1995):** Infraorbital pigmented skin: preliminary observations of laser therapy. *Dermatol Surg; 21:767-770.*
- Lugo-Janer A, Lugo-Somolinos A and Sanchez J (2003):** Comparison of trichloroacetic acid solution and cryosurgery in the treatment of solar lentigines. *Int J Dermatol; 42(10):829-31.*
- 
- Maloney B and McCollough E (1995):** Deep-depth chemical peeling. *Facial Plast Surg; 11(1):30-8.*
- Marrero G and Katz B (1998):** The new fluor-hydroxy pulse peel. A combination of 5-fluorouracil and glycolic acid. *Dermatol Surg; 24(9):973-8.*
- Masuda M, Tejima T and Suzuki T, et al.(1996):** Skin lighteners . *Cosmet Toil; III: 68-77.*
- Matarasso S (1998):** Complications of botulinum A exotoxin for hyperfunctional lines. *Dermatol Surg 24:1249-54.*
- Matarasso S and Brody H (1996):** Deep chemical peeling. *Semin Cutan Med Surg; 15(3):155-61.*

- Matarasso S and Glogau R (1991):** Chemical face peels. *Dermatol clin*; 9:131-150.
- Mc collough E and Langsdon P (1988):** Dermabrasion and chemical peel. A guide for facial plastic surgery. *New York, Thieme Medical, PP. 53-112.*
- Mc collough E and Langsdon P (1989):** Chemical peeling with phenol. *In: Dermatologic surgery: principles and practice(2nd edn). Roenigk H, Roenigk R,(eds):. New York, Marcle Dekker Inc. , pp 997-1016.*
- Mc Collough M, Maloney B and Langsdon P (1996):** Chemical peel with phenol. *In: Dermatologic surgery: principles and practice (2nd edn). Roenigk H, Roenigk R,(eds):. New York, Marcle Dekker Inc. , pp 1016-1025..*
- McHugh R, Rice A and Sangha N, et al. (2004):** A topical azithromycin preparation for the treatment of acne vulgaris and rosacea. *J Dermatolog Treat. ; 15(5):295-302.*
- Mendelsohn J (2002):** Update on chemical peels. *Otolaryngol Clin North Am; 35(1):55-72, vi.*
- Menter A (2004):** Rationale for the use of topical corticosteroids in melasma. *J Drugs Dermatol; 3(2):169-74.*
- Milstein E (1990):** Is pyruvic acid potentially explosive? *Schoch Lett; 40:41.*
- Mohrenschlager M, Henkel V and Moller H, et al. (2005):** Disturbance in the well-being of a patient with acne: suggestions for anticipation and detection. *Acta Derm Venereol; 85(2):182-3.*
- Monheit G (1995a):** The Jessner's-trichloroacetic acid peel. *Dermatol Clin; 13(2):277-283.*

- Monheit G (1995b):** Facial resurfacing may trigger the herpes simplex virus. *Cosmetic Dermatol*; 8(7):9-16.
- Monheit G (2004):** Chemical peels. *Skin Therapy Lett* ; 9(2):6-11.
- Monheit G and Chastain M (2001):** Chemical peels. *Facial Plast Surg Clin North Am*; 9(2):239-55, viii.
- Monhiet G and Zetoni N (1997):** Skin resurfacing for photoaging:laser resurfacing versus chemical peeling. *Cosmetic Dermatol*; 10(4):11-22.
- Mosienko P and Baker T (1978):** Chemical peel. *Clin Pias Surg*; 5:79-96.
- Mostafa W, Shahin Z and Nasrallah M (1999):**Chemical peeling.An updated therapeutic modality.Review article.Egypt *J Dermaiol Venerol* 16(2).
- Mun Y, Lee S and Jeong H, et al. (2004):**Inhibitory effect of miconazole on melanogenesis. *Biol Pharm Bull*; 27(6):806-9.
- Murray C, Zloty D and Warshawski L(2005):**The evolution of soft tissue fillers in clinical practice. *Dermatol Clin. Apr*; 23(2):343-63.
- 
- Naguyn Q and Bui T (1995):** Azelic acid pharmacokinetic and pharmacodynamic properties and its therapeutic role in hyperpigmentary disorders and acne. *Int. J. Dermatol* 34(2):75-84.
- Nestor M (2004):** Combination therapy in clinical and cosmetic dermatology: the marriage of device and drug. *J Drugs Dermatol*; 3(5 Suppl):S4-11.
- Newman N, Newman A and Moy L, et al. (1996):**Clinical improvement of photoaged skin with 50% glycolic acid. A double-blind vehicle-controlled study. *Dermatol Surg*;22(5):455-60.

Niepomniszcz H and Amad R (2001): Skin disorders and thyroid diseases. *J Endocrinol Invest*; 24(8):628-38.

Njoo M, Menke H and Pavel W, et al. (1997): N-Acetylcysteine as a bleaching agent in the treatment of melasma. *J Eur Acad Derm Venerol*; 9:86-87.



Obagi Z (1996): Obagi's modified trichloroacetic acid (TCA): controlled variable. *Ann. Plast. Surg.* 36:225.

Okano Y, Abe Y and Masaki H, et al. (2003): Biological effects of glycolic acid on dermal matrix metabolism mediated by dermal fibroblasts and epidermal keratinocytes. *Exp Dermatol*; 12 Suppl 2:57-63.

O'Keefe E, Payne R and Russel N, et al. (1985): Spreading and enhanced motility of human keratinocytes on fibronectin. *J Invest Dermatol* 85:125.

O'mahony C (2005): Genital warts: current and future management options. *Am J Clin Dermatol*; 6(4):239-43.

Otley C and Roenigk R (1996): Medium-depth chemical peeling. *Semin Cutan Med Surg*; 15(3):145-54.



Paquette D, Badiavas E and Falanga V (2001): Short-contact topical tretinoin therapy to stimulate granulation tissue in chronic wounds. *J Am Acad Dermatol*; 45(3):382-6.

Park K, Kim H and Kim E, et al. (2002): Effect of glycolic acid on UVB induced skin damage and inflammation in guinea pigs. *Skin Dermatol Appl Sin Physiol*; 15(4)236-45.

- Paschar F (1957):**Chemical peeling. *In: Dermatologic Formulary, New York skin and cancer unit, New York Hoeber Harber, Bull N Y(eds) Acad Med;49:613-627.*
- Peikert J, Krywonis N and Rest E, et al. (1994):** The efficacy of various degreasing agents used in the trichloroacetic acid peel. *J Dermatol Surg Oncol; 20:724-728.*
- Perez –Bernal A, Munoz-Perez M and Camacho F (2000):** Management of hyperpigmentation. *Am J Clin Dermatol; 1(5):261-8.*
- Perez M (2005):** The stepwise approach to the treatment of melasma. *Cutis; 75(4):217-22.*
- Perkins S and Castellano R (2004):** Use of combined modality for maximal resurfacing. *Facial Plast Surg Clin North Am;12(3):323-37, vi.*
- Personeli E (1993):** All Transretinoic acid. *Rev. Bras. Med Vol 50 N.8;p213-240.*
- Piacquadio D, Dobry M and Hunt S, et al. (1996):**Short contact 70% glycolic acid peels as a treatment for photodamaged skin. A pilot study. *Dermatol Surg; 22(5):449-52.*
- Piamphongsant T (1998):** Treatment of melasma: a review with personal experience. *Int J of Dermatol; 37:897-903.*
- Piggot T and Norris R (1988):** The treatment of tattoos with trichloroacetic acid: experience with 670 patients. *Br J Plast Surg; 41:112-7.*
- Pi rard G, Kligman A and Stoudemayer T, et al. (1999):** Comparative effects of retinoic acid, glycolic acid and a lipophilic derivative of salicylic acid on photodamaged epidermis. *Dermatology; 199(1):50-3.*
- Plewing G (1980):** Morphologic dynamics of acne vulgaris. *Acta Derm Venerol (Stockh) ; (Suppl.89):9-16.*

Pochi P (1990): The pathogenesis and treatment of acne. *Annu Rev Med; 41:187-198.*

Poli F, Ribet V and Lauze C, et al. (2005): Efficacy and safety of 0.1% retinaldehyde/ 6% glycolic acid (diacneal) for mild to moderate acne vulgaris. A multicentre, double-blind, randomized, vehicle-controlled trial. *Dermatology; 210(Suppl 1):14-21.*



Raab B (1991): A new hydrophilic copolymer membrane for dermabrasion. *J Dermatol Surg Oncol; 17:323-328.*

Ramose-Silva M, De-Castro M and Da-Silva-Carneiro S, et al. (2004): Alpha-hydroxy acids: unapproved uses or indications. *Skin med; 3(3):141-8.*

Rapp D, Brenes G and Feldman S, et al. (2004): Anger and acne: implications for quality of life, patient satisfaction and clinical care. *Br J Dermatol ; 151(1):183-9.*

Rawlings A and Harding C (2004): Moisturization and skin barrier function. *Dermatol Ther; 17 Suppl 1:43-8.*

Rendon M (2004): Utilizing combination therapy to optimize melasma outcomes. *J Drugs Dermatol; 3(5 Suppl):S27-34.*

Resnik S (1984): Chemical peeling with trichloroacetic acid. *J Dermatol Surg Oncol; 10:549.*

Resnik S, Lewis L and Cohen B (1976): Trichloroacetic acid peeling, *Cutis; 17:127-129.*

Rhodes L (1998): Topical and systemic approaches for protection against solar radiation-induced skin damage. *Clin Dermatol; 16:75-82.*

- Rigopoulos D, Ioannides D and Kalogeromitros D, et al. (2004):** Comparison of topical retinoids in the treatment of acne. *Clin Dermatol*; 22(5):408-11.
- Robert C, Robert A and Robert L (2005):** Effect of a preparation containing a fucose-rich polysaccharide on periorbital wrinkles of human volunteers. *Skin Res Technol*; 11(1):47-52.
- Roberts W (2004):** Chemical peeling in ethnic/dark skin. *Dermatol Ther*; 17(2):196-205.
- Roenigk K and Brodland G (1993):** A primer of facial chemical peel. *Dermatologic Clinics*; 11: (2)349-59.
- Roenigk R, Resnik S and Dolezal J (1996):** Chemical peel with trichloroacetic acid. In: *Dermatologic Surgery Principles and Practice*(2nd edn). Roenigk RK and Roenigk HH, Jr (eds).. Marcel Dekker, Inc New York,p; 1121-35.
- Ronni W (1998):** Early re-peeling –a matter of time. *Int J of Dermatol*; 37,709-712.
- Rook A, Wilkinson D and Ebling F (1972): Superficial peeling (chapter 5).**In:*Textbook of Dermatology*(2nd edn). Rook A, Wilkinson D and Ebling F (eds).. Black Well Scientific Oxford England; p 2073.
- Roy D (2005):** Ablative facial resurfacing. *Dermatol Clin*; 23(3):549-59, viii.
- Rubenstein R, Roenigk H and Stegman S, et al. (1986):** Atypical keloid after dermabrasion of patients taking isotretinoin. *J Am Acad Dermatol* ; 15:280-285.
- Rubin M (1992):** Trichloroacetic acid and other phenol peels. *Clin Plast Surg*; 19:525.
- Rubin M (1995):** Manual of chemical peels. *Philadelphia: Lippincott, p120-1.*

Ryan F and La Fourcade C (1995): Skin care, chemical face peeling, and skin rejuvenation. *Plast Surg Nurs*; 15(3):167-71.



Sabini P (2004): Classifying, diagnosing, and treating the complications of resurfacing the facial skin. *Facial Plast Surg Clin North Am*; 12(3):357-61, vi.

Sadick N (1996): A comparative study of 100° TCA and cryosurgery in the treatment of disseminated HIV facial molluscum contagiosum. Presented at the American Society for Dermatologic Surgery, Palm Springs, Calif, May 17, 1996.

Sanchez N (1981): Melasma; a clinical, light microscopic, ultrastructural and immunofluorescence study. *J Am Acad Dermatol*; 4:698:710.

Sarifakioglu N, Terzioglu A and Ates L, et al. (2004): A new phenomenon: "sleep lines" on the face. *Scand J Plast Reconstr Surg, Hand Surg*; 38(4):244-7.

Sarkar R, Kaur C and Bhalla M, et al. (2002): The combination of glycolic acid peels with a topical regimen in the treatment of melasma in dark-skinned patients: a comparative study. *Dermatol Surg*; 28(9):828-32.

Shah A, Dayan S and Hamilton G (2005): Pitfalls of photography for facial resurfacing and rejuvenation procedures. *Facial Plast Surg*; 21(2):154-61.

Shalita A (2004): Acne: clinical presentations. *Clin Dermatol*; 22(5):385-6.

Shalita A, Miller B and Menter A, et al. (2005): Tazarotene cream versus adapalene cream in the treatment of facial acne vulgaris: a multicenter, double-blind, randomized, parallel-group study. *J Drugs Dermatol*; 4(2):153-8.

- Sharquie K, Al-Tikreety M and Al-Mashhadani S (2005):** Lactic acid as a new therapeutic peeling agent in melasma. *Dermatol Surg*; 31(2):149-54.
- Sholley M, Gembrone M and Cotran R (1978):** The effects of leukocyte depletion on corneal neovascularisation. *Lab Invest*; 38:32.
- Slagel G and Mc Marlin S (1984):** Chemical face peels. *J Asociation Milit Dermatol*; 10:38-43.
- Song J, Kang H and Kim M, et al. (2004):** Damage and recovery of skin barrier function after glycolic acid chemical peeling and crystal microdermabrasion. *Dermatol Surg*; 30(3):390-4.
- Sonya K and Alan R (1998):** Seminar, Acne Vulgaris. *Lancet*; 351:1871-76.
- Spencer J (2005):**Microdermabrasion. *Am J Clin Dermatol*; 6(2):89-92.
- Spinowitz A and Rumsfield J (1989):** Stability-time profile of trichloroacetic acid at various concentrations and storage conditions. *J Dermatol Surg Oncol*; 15:974-975.
- Stagnone J (1977):** Chemabrasion. *J Dermatol Surg Oncol*; 3:217.
- Stagnone J (1989):** Superficial peeling. *J Dermatol Surg Oncol*; 15:924-930.
- Stegman S (1982):** A comparative histologic study of the effects of three peeling agents and dermabrasion on normal and sundamaged skin. *Aesthetic Plast Surg*; 6:123.
- Stegman S and Tromovitch T (1984):** Cosmetic dermatologic surgery. *Mosby St Louis*, , pp. 27-46.
- Stegman S, Tromovitch T and Glogau R (1990):** Cosmetic dermatologic surgery. *Mosby St Louis*; pp35-58.
- Stone P (1998):** The use of modified phenol for chemical face peeling. *Clin Plast Surg*; 25(1):21-44.

Stratigos A and Katsambas A (2004):Optimal management of recalcitrant disorders of hyperpigmentation in dark skinned patients. *Am J Clin Dermatol*;5(3):161-8.

Stuzin J, Baker T and Gordon H (1998): Chemical peel : acne in the routine. *Ann Plast Surg*; 23:166-169.

Swinehart J (1992): Salicylic ointment peeling of the hand and forearms.

J Dermatol Surg Oncol; 18:495-498.

Sykes N and Webster G (1994): Acne: a review of optimum treatment. *Drugs*; 48:59-70.

Szachowiez E and Wright W (1989): Delayed healing after full-face Chemical peels. *Facial Plast Surg*; 6:8-13.



Takahashi M and Tezuka T (2004): The content of free amino acids in the stratum corneum is increased in senile xerosis. *Arch Dermatol Res*;295(10):448-52.


Tan A and Tan H (2005): Acne vulgaris: a review of antibiotic therapy. *Expert Opin Pharmacother*; 6(3):409-18.

Tan J (2004): Psychosocial impact of acne vulgaris: evaluating the evidence. *Skin Therapy Lett*; 9(7):1-3, 9.

Tannous Z and Astner S (2005): Utilizing fractional resurfacing in the treatment of therapy-resistant melasma. *J Cosmet Laser Ther*; 7(1):39-43.

Taylor M (1995): EMLA for effective pain relief following chemical peeling. *Dermatol surg*; 21:738-739 (letter).

Teknetzis A, Ioannides D and Vakali G, et al. (2004): Pyogenic granulomas following topical application of tretinoin. *J Eur Acad Dermatol Venereol*;18(3):260.

- Thibault P, Wlodarczyk J and Wenck A (1998):** A double-blind randomized clinical trial on the effectiveness of a daily glycolic acid 5% formulation in the treatment of photoaging. *Dermatol Surg*; 24(5):573-7.
- Thiboutot D (1996):** An overview of acne and its treatment. *Cutis*; 57:8-12.
- Ting W, Vest C and Sontheimer R (2003):** Practical and experimental consideration of sun protection in dermatology. *Int J Dermatol*; 42(7):505-13.
- Torok H, Jones T and Rich P, et al. (2005):** Hydroquinone 4%, tretinoin 0.05%, fluocinolone acetonide 0.01%: a safe and efficacious 12-month treatment for melasma. *Cutis*; 75(1):57-62.
- Trelles M, Brychta P and Stanek J, et al. (2005):** Laser techniques associated with facial aesthetic and reparative surgery. *Facial Plast Surg*; 21(2):83-98.
- Tsuji T, Yorifuji T and Hayashi Y, et al. (1986):** Light and scanning electron microscopic studies on wrinkles in aged persons' skin. *Br J Dermatol*; 114:329-35.
- Tuleya S (2003):** Feature: melasma update. In: *Skin & Aging - ISSN: 1096-0120 - Volume 11 - Issue 10*. Tuleya S, senior editor. Pages: 89 – 91.
- Tung R, Bergfeld W and Vidimos A, et al. (2000):** alpha-Hydroxy acid-based cosmetic procedures. Guidelines for patient management. *Am J Clin Dermatol*; 1(2):81-8.
- 
- Ueda S, Mitsugi K and Ichige K, et al. (2002):** New formulation of chemical peeling agent: 30% salicylic acid in polyethylene glycol. Absorption and distribution of ¹⁴C-salicylic acid in polyethylene glycol applied topically to skin of hairless mice. *J Dermatol Sci*; 28(3):211-8.

Usuki A, Ohashi A and Sato H, et al. (2003):The inhibitory effect of glycolic acid and lactic acid on melanin synthesis in melanoma cells. *Exp Dermatol*; 12 Suppl 2:43-50.



Van-Scott E and Yu R (1984): Hyperkeratinisation corneocyte cohesion and alpha hydroxyl acids. *J Am Acad Dermatol*; 11:867-879.

Van-Scott E and Yu R (1989): Alpha hydroxy acids: procedures for use in clinical practice. *Cutis*; 43(3):222-8.

Van-Scott E, Ditre C and Yu R (1996):Alpha hydroxyl acids in the treatment of photoaging. *Clinics in Dermatology*; 14:217-226.

Van-Winkle W (1967): The fibroblast in wound healing. *Surg Gynecol Obstet*; 124:369.

Vasquez M, Moldonado H and Benaman C, et al. (1988):Melasma in men:a clinical and histologic study. *Int J Dermatol*; 27:25-27.

Victor F, Gelber J and Rao B (2004): Melasma: a review. *J Cutan Med Surg*; 8(2):97-102.


Vossen M, Hage J and Karim R (2000): Formulation of trichloroacetic acid peeling solution: a bibliometric analysis. *Plast Reconstr Surg*; 105(3):1088-94; discussion 1095-6.



Wang B and Carey W (1994):Chemical peeling as adjuvant therapy for facial neurotic excoriation. *J Am Acad Dermatol*; 30:669.

Wang C, Huang C and Hu C, et al. (1997):The effect of glycolic acid on the treatment of acne in Asian skin. *Dermatol Surg*;23(1):23-9.

Waugh J, Noble S and Scott L (2004): Adapalene: a review of its use in the treatment of acne vulgaris. *Drugs*; 64(13):1465-78.

- Weiss J, Ellis C and Goldfarb M, et al. (1991):** Tretinoin treatment of photodamaged skin: cosmesis through medical therapy. *Dermatol Clin*;9:123-129.
- Whang K and Lee M (1999):** The principle of a three-staged operation in the surgery of acne scars. *J Am Acad Dermatol*; 40(1):95-7.
- Wheeland R (1991):** New surgical dressing aid postoperative healing. *Dermatol Prospect*; 7:1-5.
- Wiest L (2004):** Chemical peels in aesthetic dermatology. *Hautarzt*; 55(7):611-20.
- Wilson J and Arpey C (2004):** Body dysmorphic disorder: suggestions for detection and treatment in a surgical dermatology practice. *Dermatol Surg*;30(11):1391-9.
- Witkowski J and Parish L (2004):** The assessment of acne: an evaluation of grading and lesion counting in the measurement of acne. *Clin Dermatol*; 22(5):394-7.
- Wolfe A, Devine J and Millard R (1980):** Cosmetic surgery. In: *Fundamentals of plastic and reconstructive surgery. Wallace HJ Chang. Williams & Wilkins ;Baltimore / London; p261.*
- 
- Yamakoshi J, Sano A and Tokutake S, et al. (2004):** Oral intake of proanthocyanidin-rich extract from grape seeds improves cloasma. *Phytother Res*; 18(11):895-9.
- Yamauchi P, Lask G and Lowe N (2004):** Botulinum toxin type A gives adjunctive benefit to periorbital laser resurfacing. *J Cosmet Laser Ther*;6(3):145-8.

Yang K and Li Y (1999): Comparison of the frequency-doubled Q-switched Nd:YAG laser and 35% trichloroacetic acid for the treatment of face lentigines. *Dermatol Surg*; 25(3):202-4.

Yemisci A, Gorgulu A and Piskin S (2005): Effects and side-effects of spironolactone therapy in women with acne. *J Eur Acad Dermatol Venereol*; 19(2):163-6.

Yoon E and Ahn D (1999): Report of phenol peel for Asians. *Plast Reconstr Surg*; 103(1):207-14; discussion 215-7.



Zaghloul S, Cunliffe W and Goodfield M (2005): Objective assessment of compliance with treatments in acne. *Br J Dermatol*; 152(5):1015-21.

Zakhary K and Ellis D (2005): Applications of aminolevulinic acid-based photodynamic therapy in cosmetic facial plastic practices. *Facial Plast Surg*; 21(2):110-6.

Zhanel G, Homenuik K and Nichol K, et al. (2004): The glycyclines: a comparative review with the tetracyclines. *Drugs*; 64(1):63-88.

Zukowski M, Mossie R and Roth S, et al. (1993): Pilot study analysis of the histologic and bacteriologic effects of occlusive dressings in chemosurgical peel using minipig model. *Aesthetic Plast Surg*; 17:53-59.